




# Tytirini




*Pachyramphus polychopterus*




*Pachyramphus rufus*

Caneleiro

# Tytirini




*Pachyramphus minor*




*Tityra cayana*

Anambés





# Cotingidae



*Cotinga cayana*


*Xipholena lamellipennis*



*Querula purpurata*

# Cotingidae

*Lipaugus vociferans*





*Iodopleura [fusca] isabellae*




*Cotinga [cotinga] cotinga*


# Piprinae: Tangarás e Dançarinos



*Pipra pipra*




*Pipra iris*




*Pipra rubrocapilla*


# Piprinae



*Chiroxiphia pareola*




*Tyranneutes stolzmanni*




# Piprinae




*Piprites chloris*




# Thamnophilidae: Chocas ou Formigueiros




*Taraba major*



*Thamnophilus amazonicus*




*Thamnophilus doliatus*







# Thamnophilidae



*Thamnomanes caesius*





*Myrmotherula longipennis*




# Thamnophilidae




*Cercomacra laeta*




*Cercomacra cinerascens*




# Thamnophilidae



*Formicivora grisea*



*Hylophylax poecilonota*





*Pyriglena leuconota*

# Furnariidae




*Automolus infuscatus*

*Barranqueiro-pardo*





*Philydor ruficaudatus*

*Limpa -folha*



# Furnariidae



*Xenops minutus*

*Bico-virado-miudo*